

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

wld

In re Application of

Josee HAMEL, et al.

Serial No.: 09/471,255

Filed: December 23, 1999

For: NOVEL STREPTOCOCCUS ANTIPHONENS



Group Art Unit: 1645

Examiner: V. Portner

RECEIVED

MAR 12 2001

TECH CENTER 1600/2900

THE COMMISSIONER FOR PATENTS AND TRADEMARKS
Washington, DC 20231

Dear Sir:

Transmitted herewith is an Amendment in the above identified application.

☐

No additional fee is required.

☐

Small entity status of this application under 37 CFR 1.9 and 1.27 has been established by a verified statement previously submitted.

☐

A verified statement to establish small entity status under 37 CFR 1.9 and 1.27 is enclosed.

☒

Also attached: Sequence Listing and Computer Readable Disk

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	39	39	1	\$18.00 =	\$0.00
Independent Claims	9	11	0	\$80.00 =	\$0.00
Multiple claims newly presented					\$0.00
Fee for extension of time					\$0.00
Total of Above Calculations					\$0.00

☐
Please charge my Deposit Account No. 500417 in the amount of \$0.00. An additional copy of this transmittal sheet is submitted herewith.
☒
The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 500417, including any filing fees under 37 CFR 1.16 for presentation of extra claims and any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

Joseph Hyosuk Kim
Joseph Hyosuk Kim, PhD
Registration No. 41,425

RECEIVED
MAR 15 2001
TECH CENTER 1600/2900

600 13th Street, N.W.
Washington, DC 20005-3096
(202) 756-8000 JHK:dls
Date: March 8, 2001
Facsimile: (202) 756-8087

NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 CFR 1.821 - 1.825 for the following reason(s):

☒ 1. This application clearly fails to comply with the requirements of 37 CFR 1.821 - 1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29 May 15, 1990 and at 55 FR 18230, May 1, 1990.

☒ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 CFR 1.821(c).

☒ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 CFR 1.821(e).



☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 CFR 1.822 and/or 1.823, as indicated on the attached copy of the marked-up "Raw Sequence Listing."

☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A substitute computer readable form must be submitted as required by 37 CFR 1.825(d).

☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 CFR 1.821(e).

☐ 7.

Other: _____

Applicant must provide:

☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing"

☒ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification

☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 CFR 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d)

For questions regarding compliance with these requirements, please contact

For Rules Interpretation, call (703) 308-1123

For CRF submission help, call (703) 308-4212

For PatentIn software help, call (703) 557-0400

Please return a copy of this notice with your response.

RECEIVED
MAR 15 2001
TECH CENTER 1600/2900